## **General Disclaimer**

## One or more of the Following Statements may affect this Document

- This document has been reproduced from the best copy furnished by the organizational source. It is being released in the interest of making available as much information as possible.
- This document may contain data, which exceeds the sheet parameters. It was furnished in this condition by the organizational source and is the best copy available.
- This document may contain tone-on-tone or color graphs, charts and/or pictures, which have been reproduced in black and white.
- This document is paginated as submitted by the original source.
- Portions of this document are not fully legible due to the historical nature of some
  of the material. However, it is the best reproduction available from the original
  submission.

Produced by the NASA Center for Aerospace Information (CASI)

E7.6-10225 CR-146336

"Made available under NASA sponsorship in the interest of early and wide dissemination of Earth Resources Survey Program information and without liability for any use made thereot."

VERIFICATION BY REMOTE SENSING OF AN OIL SLICK MOVEMENT PREDICTION MODEL

V. Klemas, G. Davis, H.Wang College of Marine Studies University of Delaware eto

January 14, 1976
Report on Significant Results
NASA LANDSAT CONTRACT NASS-20983
UN 20570

Prepared for GODDARD SPACE FLIGHT CENTER GREENBELT, MD 20771

(E76-10225) VERIFICATION BY REMOTE SENSING OF AN OIL SLICK MOVEMENT PREDICTION MCDEL (Delaware Univ.) 2 p HC \$3.50 CSCL 13B

N76-19528

Unclas G3/43 00225

## SIGNIFICANT RESULTS

LANDSAT, aircraft, ships and air-dropped current drogues have been deployed to determine current circulation and to track oil slick movement on four different dates in Delaware Bay. The results were used to verify a predictive model for oil slick movement and dispersion. The model predicts the behavior of oil slicks given their size, location, tidal stage (current), weather (wind) and nature of crude. Both LANDSAT satellites provided valuable data on gross circulation patterns and convergent coastal fronts which by capturing oil slicks significantly influence their movement and dispersion.